

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing



March 1971

Release:
May 4, 1971
3:00 P.M. EDT

Inspected Poultry - There were 1,009 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during March 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 16 percent more than the previous month and 11 percent more than March 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 238,437,000 head, 872,297,000 pounds; mature chickens - 17,100,000 head, 77,393,000 pounds; fryer-roaster turkeys - 1,383,000 head, 12,717,000 pounds; young turkeys - 2,210,000 head, 40,676,000 pounds; old turkeys - 81,000 head, 1,654,000 pounds; and ducks - 645,000 head, 4,108,000 pounds.

Poultry Certified as Wholesome in March totaled 711,440,000 pounds ready-to-cook weight, of which 613,077,000 pounds were chilled and 98,363,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 616,541,000; mature chickens, 49,112,000; fryer-roaster turkeys, 9,823,000; young turkeys, 31,609,000; old turkeys, 1,295,000; ducks, 2,926,000 and other poultry, 134,000.

Further Processed - Poultry inspected and used for further processing totaled 122,875,000 pounds ready-to-cook weight, compared with 95,395,000 pounds in March 1970. The March 1971 total consisted of 32,582,000 pounds young chickens, 42,441,000 pounds mature chickens, 39,419,000 pounds turkeys and 8,433,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 186,256,000 pounds ready-to-cook weight, compared with 153,384,000 pounds a year earlier. The breakdown by classes was: young chickens, 172,332,000 pounds; mature chickens, 303,000; turkeys, 13,388,000; and other poultry, 233,000 pounds.

Ante-Mortem Condemnations during March were 3,886,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.36; mature chickens, 0.79; fryer-roaster turkeys, 0.21; young turkeys, 0.18; old turkeys, 0.25; and ducks, 0.04.

Post-Mortem Condemnations during March were 40,923,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 4.53; mature chickens, 5.58; fryer-roaster turkeys, 2.23; young turkeys, 3.32; old turkeys, 4.45; and ducks, 2.03.

UNITED STATES DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE CROP REPORTING BOARD

Pou 2-1 (5-71)

WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MARCH 1971 WITH COMPARISONS

NUMBER INSPECTED 3/ FEBRUARY 1971 MARCH 1971 JAN.-MARCH 1970 JAN.-MARCH 1971	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
	205,647	16,382	222,029	871	1,493	33	2,397	381				
	224,624	15,255	239,879	1,013	1,089	30	2,132	616				
	238,437	17,100	255,537	1,383	2,210	81	3,674	645				
	651,334	41,677	693,011	2,385	3,907	99	6,391	1,688				
	659,668	49,582	709,250	3,146	5,983	183	9,312	1,466				
POUNDS INSPECTED 4/												
	752,279	72,174	824,453	8,066	31,880	731	40,677	2,433				
	807,120	71,017	878,137	9,405	18,565	601	28,571	3,935				
	872,297	77,393	949,690	12,717	40,676	1,654	55,047	4,108				
	2,364,295	191,636	2,555,925	22,348	84,737	2,172	109,257	10,372				
	2,421,982	223,367	2,645,349	29,035	126,567	3,682	159,284	9,356				
AVERAGE LIVEWEIGHTS/												
	3.66	4.41	3.71	9.27	21.35	21.88	16.97	6.39				
	3.59	4.66	3.66	9.28	17.05	20.18	13.40	6.39				
	3.66	4.53	3.72	9.20	18.40	20.32	14.98	6.37				
	3.63	4.60	3.69	9.37	21.69	21.90	17.10	6.14				
	3.67	4.51	3.73	9.23	21.16	20.13	17.11	6.38				

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

FEBRUARY 1971, 2,414; MARCH 1970, 2,825; AND MARCH 1971, 2,835.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

FEBRUARY 1971, 58; MARCH 1970, 64; AND MARCH 1971, 78.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MARCH 1971 WITH COMPARISONS 1/

FEBRUARY 1971 MARCH 1970 MARCH 1971	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
	480,842	37,510	518,352	1,084	8,592	90	9,766	172				
	49,434	7,991	57,425	5,119	16,119	477	21,715	1,566				
	530,276	45,501	575,777	6,203	24,711	567	31,481	1,738				
	509,594	34,881	544,475	1,727	4,109	63	5,899	167				
	63,492	10,502	73,994	5,601	10,223	398	16,222	2,643				
	573,086	45,383	618,469	7,328	14,332	461	22,121	2,810				
	561,569	60,068	601,637	1,705	9,268	231	11,204	203				
	54,972	9,044	64,016	8,118	22,341	1,064	31,523	2,723				
	616,541	49,112	665,653	9,823	31,609	1,295	42,727	2,926				
JANUARY-MARCH 1970												
	1,494,436	93,859	1,588,295	4,803	16,927	150	21,880	409				
	181,595	28,328	209,923	12,549	48,895	1,553	62,997	6,954				
	1,676,031	122,187	1,798,218	17,352	65,822	1,703	84,877	7,363				
JANUARY-MARCH 1971												
	1,553,269	113,768	1,667,037	4,278	27,369	393	32,040	626				
	156,635	27,843	184,478	18,187	71,371	2,481	92,039	6,069				
	1,709,904	141,611	1,851,515	22,465	98,740	2,874	124,079	6,695				

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MARCH 1971 WITH COMPARISONS 3/

	: YOUNG : CHICKENS :		: MATURE : CHICKENS :		: TOTAL : CHICKENS :		: FRYER- : ROASTERS:		: YOUNG : TURKEYS :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: OTHER : POULTRY :		
	1,000 POUNDS (LIVWEIGHT):	CHICKENS	CHICKENS	CHICKENS	CHICKENS	CHICKENS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	TURKEYS	DUCKS	OTHER	TOTAL
ANTE-MORTEM																	
1,000 POUNDS (LIVWEIGHT):																	
MARCH 1970:	2,848	492	3,340	16	53	3	72	4	---	---	---	---	---	---	---	---	3,416
MARCH 1971:	3,161	616	3,777	27	76	4	107	2	---	---	---	---	---	---	---	---	3,886
JAN.-MARCH 1970:	9,997	1,752	11,749	47	237	7	291	14	1	1	1	1	1	1	1	1	12,055
JAN.-MARCH 1971:	9,618	2,140	11,758	66	364	11	441	5	1	1	1	1	1	1	1	1	12,205
PERCENT 1/																	
MARCH 1970:	.35	.69	.38	.16	.28	.43	.24	.09	.24	.09	.24	.09	.24	.09	.24	.09	.37
MARCH 1971:	.36	.79	.39	.21	.18	.25	.19	.04	.20	.04	.20	.04	.20	.04	.20	.04	.38
POST-MORTEM																	
1,000 LBS. (N.Y. DRESSED):																	
MARCH 1970:	31,685	3,451	34,936	132	704	32	868	58	2	2	2	2	2	2	2	2	35,864
MARCH 1971:	35,450	3,859	39,309	256	1,215	66	1,537	75	3	3	3	3	3	3	3	3	40,923
JAN.-MARCH 1970:	93,575	9,901	103,476	372	3,511	91	3,974	202	6	6	6	6	6	6	6	6	107,657
JAN.-MARCH 1971:	101,107	12,024	113,131	592	3,770	150	4,512	169	8	8	8	8	8	8	8	8	117,819
PERCENT 2/																	
MARCH 1970:	4.35	5.44	4.43	1.56	4.22	5.97	3.38	1.64	1.13	1.64	1.13	1.64	1.13	1.64	1.13	1.64	4.39
MARCH 1971:	4.53	5.58	4.61	2.23	3.32	4.45	3.10	2.03	1.23	2.03	1.23	2.03	1.23	2.03	1.23	2.03	4.52

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, MARCH 1971 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
	POUNDS USED READY-TO-COOK WEIGHT 2/	CHICKENS	CHICKENS	CHICKENS	TURKEYS	TURKEYS	POULTRY	POULTRY	POULTRY	POULTRY
FEBRUARY 1971:	27,433	150,107	36,694	633	34,783	12,602	7,461	355	106,371	163,697
MARCH 1970:	27,875	142,253	31,537	950	27,511	9,878	8,472	303	95,395	153,384
MARCH 1971:	32,582	172,332	42,441	303	39,419	13,388	8,433	233	122,875	186,256
JANUARY-MARCH 1970:	78,647	425,701	93,170	2,763	94,445	31,046	24,598	514	290,860	460,024
JANUARY-MARCH 1971:	89,635	472,324	115,551	1,118	110,298	38,735	23,740	1,118	339,224	513,295
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
FEBRUARY 1971:	257	1,262	36	1	40	165	33	1	366	1,429
MARCH 1970:	264	930	34	20	569	2	18	1	885	953
MARCH 1971:	406	1,228	34	2	27	125	35	1	502	1,356
JANUARY-MARCH 1970:	494	2,679	212	55	1,034	14	73	5	1,813	2,753
JANUARY-MARCH 1971:	871	3,799	152	4	108	328	119	3	1,250	4,134

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MARCH 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
N. ATLANTIC	13,874	14,411	56,396	61,153	4.06	4.24	40,199	43,632	2,468	2,492	4.88	4.55
E. N. CENTRAL	2,535	2,689	9,911	10,840	3.91	4.03	7,239	7,898	264	345	2.96	3.55
W. N. CENTRAL	5,527	7,139	19,433	26,695	3.52	3.74	13,779	18,962	757	981	4.34	4.09
S. ATLANTIC	95,048	97,595	343,558	363,036	3.61	3.72	243,171	256,620	15,207	14,824	4.93	4.55
S. CENTRAL	101,692	110,500	355,719	387,667	3.50	3.51	253,093	273,610	12,197	15,811	3.82	4.54
WEST	5,948	6,103	22,103	22,906	3.72	3.75	15,605	15,819	592	997	2.99	4.86
U. S.	224,624	238,437	807,120	872,297	3.59	3.66	573,086	616,541	31,485	35,450	4.35	4.53
MAINE	6,245	6,225	25,789	27,662	4.13	4.44	18,694	20,235	978	824	4.23	3.32
PENNSYLVANIA	6,762	7,582	27,008	30,826	3.99	4.07	19,000	21,647	1,335	1,542	5.51	5.59
OHIO	---	132	---	625	---	4.75	---	---	466	---	11	1.91
INDIANA	1,191	1,180	4,337	4,381	3.64	3.71	3,192	3,225	122	125	3.14	3.20
WISCONSIN	1,271	1,366	5,081	5,774	4.00	4.23	3,692	4,208	131	209	2.86	4.03
MINNESOTA	---	903	---	3,738	---	4.14	---	---	2,748	---	101	3.01
MISSOURI	4,750	5,562	16,427	20,476	3.46	3.68	11,501	14,481	708	799	4.81	4.35
DELAWARE	7,985	8,773	31,016	34,828	3.88	3.97	21,879	24,539	1,224	1,497	4.40	4.79
MARYLAND	14,460	12,566	54,700	50,127	3.78	3.99	38,980	35,667	2,159	2,331	4.40	5.19
VIRGINIA	8,305	9,070	27,039	33,257	3.26	3.67	18,347	22,923	1,067	1,029	4.39	3.45
NORTH CAROLINA	24,227	24,896	90,027	93,900	3.72	3.77	63,630	67,199	3,356	2,678	4.15	3.18
SOUTH CAROLINA	2,574	2,859	8,802	9,680	3.42	3.39	6,043	6,710	398	416	5.04	4.80
GEORGIA	33,934	34,424	119,228	123,570	3.51	3.59	84,631	87,231	6,538	6,234	6.11	5.62
TENNESSEE	5,802	5,292	20,984	18,949	3.55	3.58	14,985	13,672	638	711	3.45	4.18
ALABAMA	24,472	29,738	85,910	103,064	3.51	3.47	60,443	71,552	4,184	6,469	5.43	6.99
MISSISSIPPI	16,768	19,940	59,702	72,121	3.56	3.62	43,712	51,231	1,282	2,419	2.39	3.74
ARKANSAS	32,823	31,836	110,882	108,159	3.38	3.40	78,075	76,345	3,458	3,263	3.47	3.36
LOUISIANA	4,968	4,361	17,984	15,794	3.62	3.62	12,517	11,172	720	686	4.47	4.84
TEXAS	14,407	15,593	52,009	56,572	3.61	3.63	37,164	40,334	1,666	1,940	3.57	3.82
WASHINGTON	1,358	---	5,135	---	---	---	3,535	---	167	---	---	---
CALIFORNIA	3,038	2,976	11,695	11,178	3.85	3.76	8,374	7,826	300	520	3.63	5.18

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MARCH 1971

REGION AND STATE	TUBER-	LEU-	SEPTI-	AIRSAC-	SYNO-	TUMORS	BRUISES	CADAVER	INATON	CONTAM-	OVER-	OTHER	TOTAL
	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.
N. ATLANTIC	---	214,835	161,389	118,252	3,576	1,402	5,470	17,522	33,105	3,829	15,244	574,624	
E. N. CENTRAL	1	38,241	19,661	15,575	1,104	57	2,478	2,984	5,786	820	1,635	88,342	
W. N. CENTRAL	---	63,471	54,717	80,959	19,412	826	4,248	7,368	10,658	639	9,229	251,527	
S. ATLANTIC	---	1,980,062	596,783	938,606	42,344	8,040	51,901	94,237	232,204	30,749	170,507	4,145,433	
S. CENTRAL	---	2,413,243	638,274	766,659	102,930	13,902	64,503	102,123	170,186	15,660	162,036	4,449,516	
WEST	---	129,787	46,996	86,242	2,706	100	2,191	7,129	5,873	1,687	18,063	300,774	
U. S.	1	4,839,639	1,517,820	2,006,293	172,072	24,327	130,791	231,363	457,812	53,384	376,714	9,810,216	
MAINE	---	51,793	79,518	8,707	2,689	530	1,306	8,240	6,610	950	2,753	163,096	
PENNSYLVANIA	---	156,221	75,613	104,601	770	725	3,870	8,539	23,847	2,783	11,110	388,079	
OHIO	1	371	753	125	1	18	84	285	265	33	13	1,949	
INDIANA	---	24,240	8,097	734	---	9	721	1,068	1,214	179	119	36,481	
WISCONSIN	---	13,625	10,784	14,716	1,103	25	1,666	1,622	4,207	608	1,500	49,856	
MINNESOTA	---	11,726	5,881	1,079	174	82	273	451	2,180	5	4,648	26,499	
MISSOURI	---	47,797	39,850	69,937	17,499	521	3,128	6,007	6,713	622	4,074	196,148	
DELAWARE	---	166,775	46,454	131,546	2,370	432	2,592	9,127	17,720	5,315	8,021	390,352	
MARYLAND	---	205,326	85,116	283,318	4,090	858	3,943	9,386	22,071	5,795	5,038	624,941	
VIRGINIA	---	118,764	83,845	66,245	1,349	416	4,996	5,909	13,069	3,065	4,226	301,884	
NORTH CAROLINA	---	225,176	167,535	127,821	14,180	2,694	20,395	27,657	58,919	7,744	67,117	719,238	
SOUTH CAROLINA	---	67,394	15,020	14,375	1,174	240	2,313	3,482	6,839	541	2,403	113,781	
GEORGIA	---	1,104,684	182,307	276,886	17,917	3,150	16,380	32,478	108,151	8,171	53,355	1,803,479	
TENNESSEE	---	122,414	33,820	13,252	4,521	392	2,173	5,551	13,434	48	12,007	207,612	
ALABAMA	---	1,529,512	145,064	146,282	20,138	3,697	12,054	24,267	47,827	4,644	72,211	2,005,696	
MISSISSIPPI	---	291,047	55,132	161,638	11,407	3,053	10,809	15,976	34,164	2,651	30,341	615,418	
ARKANSAS	---	283,554	223,466	212,451	37,184	3,683	18,000	27,465	46,189	2,417	25,124	880,333	
LOUISIANA	---	23,011	42,674	82,038	7,825	950	3,700	7,584	4,530	2,521	3,051	177,884	
TEXAS	---	130,761	111,320	139,752	20,698	1,958	14,118	16,875	19,520	2,526	17,489	475,017	
CALIFORNIA	---	63,046	19,752	68,669	424	33	539	3,198	2,622	966	1,304	160,553	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MARCH 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	1971	INSPECTED	1971	LIVEWEIGHT	INSPECTED/	CERTIFIED	READY-TO-COOK WT.	POUNDS	PERCENT
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	1,571	2,121	7,931	10,438	5.05	4.92	5,160	6,713	379	529
E. N. CENTRAL	1,865	2,153	8,066	8,595	4.33	3.99	5,019	5,270	270	350
W. N. CENTRAL	2,909	3,948	12,980	16,875	4.46	4.27	8,099	10,287	710	898
S. ATLANTIC	4,119	4,545	19,243	21,644	4.67	4.76	12,327	14,140	904	924
S. CENTRAL	3,106	2,430	15,953	11,944	5.14	4.91	10,645	7,884	747	658
WEST	1,685	1,903	6,844	7,897	4.06	4.15	4,133	4,818	441	500
U. S.	15,255	17,100	71,017	77,393	4.66	4.53	45,383	49,112	3,451	3,859
MAINE	357	276	2,129	1,620	5.96	5.88	1,455	1,103	76	63
NEW JERSEY	808	1,178	3,520	5,023	4.36	4.27	2,143	3,024	233	330
PENNSYLVANIA	116	65	766	478	6.62	7.41	531	336	21	9
OHIO	458	523	1,908	2,245	4.17	4.30	1,167	1,374	80	80
INDIANA	605	725	2,379	2,837	3.93	3.91	1,514	1,814	71	99
MINNESOTA	863	1,625	3,338	6,148	3.87	3.78	2,052	3,734	177	289
IOWA	103	---	413	---	4.01	---	249	---	21	---
MISSOURI	1,045	1,065	5,966	6,102	5.71	5.73	3,906	3,968	312	317
MARYLAND	533	---	2,159	---	4.05	---	1,332	---	136	---
VIRGINIA	67	74	512	516	7.61	6.94	367	364	19	20
NORTH CAROLINA	385	375	3,002	2,831	7.80	7.55	2,053	1,903	107	97
GEORGIA	2,600	3,222	11,410	14,633	4.39	4.54	7,242	9,570	519	620
ALABAMA	409	108	1,974	651	4.65	6.02	1,220	431	107	27
MISSISSIPPI	1,455	1,455	7,723	6,969	5.26	4.79	5,274	4,667	307	387
ARKANSAS	227	119	1,633	886	7.20	7.45	1,124	615	67	43
TEXAS	693	475	3,124	2,251	4.50	4.74	1,971	1,420	198	145
WASHINGTON	195	43	806	230	4.14	5.29	518	154	38	9
CALIFORNIA	1,637	1,582	5,802	6,493	4.04	4.11	3,461	3,932	390	423

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.A.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MARCH 1971

REGION AND STATE	: TUBER- :		: LEU- :		: SEPTI- :		: AIRSAC- :		: SYND- :		: BRUISES :		: CADAVER :		: CONTAM- :		: OVER- :		: TOTAL :
	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	
N. ATLANTIC	---	4,125	34,935	276	564	22,457	4,391	2,918	8,694	540	16,099	94,999							
E. N. CENTRAL	358	7,076	32,500	361	35	23,058	5,673	3,329	12,285	278	4,562	89,515							
W. N. CENTRAL	1,671	16,426	83,656	2,426	321	69,575	13,098	5,989	13,571	563	17,331	224,627							
S. ATLANTIC	14	6,654	82,558	1,798	946	40,606	9,796	6,997	31,100	527	16,270	197,266							
S. CENTRAL	---	7,661	50,263	267	1,216	31,444	10,488	2,361	11,350	712	18,305	134,067							
WEST	---	885	59,069	130	87	43,152	5,294	965	7,994	234	19,237	137,047							
U. S.	2,043	42,827	342,981	5,258	3,169	230,292	48,740	22,559	84,994	2,854	91,804	877,521							
MAINE	---	1,144	4,551	11	145	1,253	409	254	1,005	11	164	8,947							
NEW JERSEY	---	2,042	23,804	152	77	16,058	3,272	1,622	5,561	385	14,544	67,517							
PENNSYLVANIA	---	174	616	53	9	153	50	20	86	---	199	1,360							
OHIO	6	2,732	5,778	18	2	2,878	1,448	288	1,565	10	1,752	16,481							
INDIANA	39	2,081	11,198	12	---	8,711	393	1,257	5,956	2	2,092	31,741							
MINNESOTA	884	5,804	23,265	852	57	29,297	5,256	2,250	4,824	96	9,860	82,445							
MISSOURI	55	4,457	34,312	508	210	9,109	2,403	1,251	2,427	107	3,173	58,012							
VIRGINIA	---	281	1,416	63	14	325	245	16	293	8	87	2,748							
NORTH CAROLINA	---	1,293	3,054	546	220	663	264	233	1,552	18	2,718	10,561							
GEORGIA	---	2,586	59,305	534	551	30,728	7,935	5,309	22,380	379	11,801	141,508							
ALABAMA	---	279	2,239	47	15	395	139	239	1,204	15	598	5,170							
MISSISSIPPI	---	2,841	30,158	25	559	20,853	8,447	1,259	5,875	573	9,028	79,618							
ARKANSAS	---	321	2,708	40	319	267	88	91	1,074	5	200	5,053							
TEXAS	---	3,629	6,278	137	292	8,529	878	330	2,320	90	8,283	30,766							
WASHINGTON	---	221	328	1	1	167	14	24	360	5	803	1,924							
CALIFORNIA	---	429	49,581	10	24	40,945	3,750	634	5,631	199	14,395	115,598							

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MARCH 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		(LIVWEIGHT)		LIVWEIGHT		CERTIFIED		POUNDS (NYD)			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	80	91	1,623	1,986	20.29	21.82	1,301	1,576	31	32	2.12	1.79
E. N. CENTRAL	85	177	1,167	2,230	13.72	12.63	924	1,736	20	51	1.90	2.56
W. N. CENTRAL	108	445	1,233	7,210	11.41	16.21	958	5,669	27	186	2.41	2.87
S. ATLANTIC	372	797	6,590	15,203	17.72	19.07	5,097	11,725	255	577	4.31	4.22
S. CENTRAL	278	483	5,612	10,121	20.20	20.94	4,199	7,771	338	291	6.73	3.20
WEST	166	217	2,340	3,926	14.12	18.09	1,853	3,132	33	78	1.58	2.22
U. S.	1,089	2,210	18,565	40,676	17.05	18.40	14,332	31,609	704	1,215	4.22	3.32
PENNSYLVANIA	78	89	1,585	1,942	20.44	21.85	1,274	1,542	29	29	2.05	1.65
OHIO	---	119	---	1,297	---	10.86	---	1,005	---	39	---	3.33
MINNESOTA	45	301	564	4,951	12.47	16.47	448	3,898	14	145	2.76	3.25
MISSOURI	62	115	628	1,644	10.20	14.31	481	1,323	11	19	1.96	1.27
VIRGINIA	214	282	3,907	5,499	18.22	19.53	2,966	4,104	176	306	5.02	6.21
NORTH CAROLINA	---	387	---	6,580	---	17.00	---	5,231	---	---	---	3.02
TEXAS	229	480	4,497	10,072	19.64	20.99	3,420	7,731	191	290	4.73	3.20
CALIFORNIA	136	17C	1,819	2,976	13.33	17.46	1,442	2,378	29	63	1.76	2.35

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MARCH 1971

REGION AND STATE	TUBER- :CULOSIS:	LEU- KOSIS	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS	BRUISES	CADAVER:	CONTAM- :INATION:	OVER- :SCALD:	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	13	571	729	36	2	7	7	213	1	5	1,584
E. N. CENTRAL	---	40	1,171	1,184	5	9	51	53	210	1	10	2,734
W. N. CENTRAL	---	38	4,819	2,624	452	5	132	254	736	23	89	9,172
S. ATLANTIC	---	367	9,613	11,312	1,043	5	464	364	1,359	73	883	25,483
S. CENTRAL	---	185	4,242	6,135	2,555	32	97	162	306	6	143	13,863
WEST	---	9	1,799	944	779	9	47	84	97	17	17	3,802
U. S.	---	652	22,215	22,928	4,870	62	798	924	2,921	121	1,147	56,638
PENNSYLVANIA	---	---	551	722	36	2	7	6	178	1	1	1,504
OHIO	---	40	932	1,125	---	9	41	31	150	1	1	2,330
MINNESOTA	---	2	4,076	2,050	452	3	63	182	583	18	64	7,493
MISSOURI	---	1	310	163	---	---	61	70	135	---	13	753
VIRGINIA	---	254	6,877	6,801	20	3	254	196	286	4	17	14,712
NORTH CAROLINA	---	3	1,800	3,263	935	2	169	50	825	30	761	7,838
TEXAS	---	185	4,223	6,132	2,555	32	97	158	290	6	143	13,821
CALIFORNIA	---	9	1,466	903	327	7	23	69	81	1	17	2,903

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MARCH 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		1970	1971	1970	1971	1970	1971	1970	1971			
		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-				
N. ATLANTIC	9	17	97	152	10.78	8.94	75	119	3	3	3.43	2.19
E. N. CENTRAL	263	122	2,609	1,167	9.93	9.55	2,041	911	37	15	1.59	1.43
W. N. CENTRAL	487	678	4,400	6,481	9.04	9.56	3,490	5,105	55	125	1.39	2.15
S. ATLANTIC	188	307	1,733	2,657	9.23	8.64	1,290	1,979	29	74	1.85	3.11
S. CENTRAL	16	10	133	86	8.47	8.91	101	67	4	2	3.70	2.45
WEST	50	249	433	2,174	8.70	8.73	331	1,642	4	37	1.11	1.91
U. S.	1,013	1,383	9,405	12,717	9.28	9.20	7,328	9,823	132	256	1.56	2.23
MINNESOTA	484	671	4,381	6,415	9.05	9.56	3,475	5,052	55	122	1.38	2.11
VIRGINIA	127	229	1,144	1,932	8.99	8.45	850	1,419	14	53	1.38	3.08
CALIFORNIA	47	237	411	2,060	8.73	8.71	313	1,551	4	36	1.13	1.96

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.O.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MARCH 1971

REGION AND STATE	TURB- : NO.	CULOSIS : NO.	LEU- : NO.	SEPTI- : NO.	AIRSAC- : NO.	CULITIS : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
E. N. CENTRAL	---	---	---	388	36	52	---	---	---	24	34	169	---	---	172	876	
W. N. CENTRAL	---	---	1	5,798	1,516	2,075	1	98	276	1,618	91	159	---	---	---	11,633	
S. ATLANTIC	---	---	23	3,231	2,884	26	2	176	232	551	6	412	---	---	---	7,543	
S. CENTRAL	---	---	1	31	6	1	---	---	---	---	---	35	---	---	---	78	
WEST	---	---	3	1,669	1,634	29	1	32	42	170	3	13	---	---	---	3,596	
U. S.	---	---	28	11,228	6,102	2,183	4	331	587	2,572	101	758	---	---	---	23,694	
MINNESOTA	---	---	1	5,642	1,509	2,072	1	91	272	1,517	47	148	---	---	---	11,300	
VIRGINIA	---	---	22	2,942	1,923	2	1	157	198	351	2	21	---	---	---	5,619	
CALIFORNIA	---	---	3	1,584	1,616	16	1	22	41	163	1	13	---	---	---	3,460	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MARCH 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
N. ATLANTIC 4/	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	1	19	37	21.25	14	30	2	1	12.95	2.73
W. N. CENTRAL	7	21	365	17.54	99	283	5	12	4.77	3.60
S. ATLANTIC	12	19	371	20.81	190	277	17	26	7.52	7.81
S. CENTRAL	1	13	282	35.46	25	223	3	8	8.49	3.17
WEST	9	26	600	19.72	133	483	5	19	3.29	3.60
U. S.	30	81	1,654	20.18	461	1,295	32	66	5.97	4.45
MINNESOTA	7	15	248	16.81	88	193	5	7	4.70	3.34
CALIFORNIA 3/	---	21	499	23.41	---	404	---	16	---	3.64

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.


OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MARCH 1971

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	---	9	4	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	20
W. N. CENTRAL	---	---	---	271	112	2	1	14	7	48	7	1	7	1	48	1	---	---	---	---	---	---	462
S. ATLANTIC	---	---	---	224	895	49	3	12	9	90	9	90	147	---	---	---	---	---	---	---	---	---	1,431
S. CENTRAL	---	---	---	228	3	---	2	7	9	4	9	4	---	---	---	---	---	---	---	---	---	---	253
WEST	---	---	---	626	28	13	4	17	8	23	1	---	---	---	---	---	---	---	---	---	---	---	720
U. S.	---	---	---	1,358	1,042	66	10	52	33	168	1	148	---	---	---	---	---	---	---	---	---	---	2,886
MINNESOTA	---	---	---	230	52	1	1	14	7	41	---	---	---	---	---	---	---	---	---	---	---	---	349
CALIFORNIA	---	---	---	403	22	10	3	2	5	15	---	---	---	---	---	---	---	---	---	---	---	---	460

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.